

SAFETY DATA SHEET

CLARIANT^E

Safebrake DOT 4

Page 1

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Produkte (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
	Information of the substance/preparation: Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
	Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Safebrake DOT 4
Material number: 310091

Primary product use: Brake fluid.
Automobile industry

Chemical family: Technical mixture of polyethyleneglycolethers and their borate esters, amines, additives and stabilisers

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Serious eye damage : Category 1

Reproductive toxicity : Category 2

Other hazards

No additional hazards are known except those derived from the labelling.

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

SAFETY DATA SHEET



Safebrake DOT 4

Page 2

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Diethylene glycol	111-46-6*	>= 5 - <= 10	TSC
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	30989-05-0*	>= 5 - <= 10	TSC
2-(2-(2-Butoxyethoxy)ethoxy)ethanol	143-22-6*	>= 1 - <= 5	TSC
Triethylene glycol	112-27-6*	>= 1 - <= 5	TSC
3,6,9,12-Tetraoxahexadecan-1-ol	1559-34-8*	>= 0.5 - <= 1.5	TSC
1,1'-Iminodipropen-2-ol	110-97-4*	>= 0.5 - <= 1.5	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Never give anything by mouth to an unconscious person.
Get immediate medical advice/ attention.

Give oxygen or artificial respiration if needed.
- In case of skin contact : If on skin, rinse well with water.
Take off all contaminated clothing immediately.
If skin irritation occurs, seek medical advice/attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get immediate medical advice/ attention.
If easy to do, remove contact lens, if worn.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Rinse mouth with water.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
The possible health hazards known are those derived from the labelling (see corresponding section) and/or provided in this section.
Causes serious eye damage.
Suspected of damaging fertility. Suspected of damaging the unborn child.
Corrosive to the respiratory tract.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)
Use extinguishing measures that are appropriate to local

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

circumstances and the surrounding environment.

- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Boron oxides
Carbon oxides
Hydrocarbons
Nitrogen oxides (NOx)
- Further information : In the event of fire and/or explosion do not breathe fumes.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Prevent product from entering drains.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated surface thoroughly.
Treat recovered material as described in the section "Disposal considerations".

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Observe the general rules of industrial fire protection
- Advice on safe handling : Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Keep away from heat, hot surfaces, sparks, open flames and

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

other ignition sources. No smoking.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Handle and open container with care.
Keep away from sources of ignition - No smoking.

Materials to avoid : When used and handled as intended, none.

Further information on storage stability : Stable under recommended storage conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diethylene glycol	111-46-6	TWA	10 mg/m3	US WEEL
Triethylene glycol	112-27-6	TWA (Inhalable fraction and vapor)	10 mg/m3	ACGIH

Engineering measures : Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Chemical splash goggles with face shield.
Do not wear contact lenses.

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

- Protective measures : Observe the usual precautions for handling chemicals.
Avoid breathing dust or vapour.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Use protective skin cream before handling the product.
Wash hands before breaks and at the end of workday.
Take off immediately all contaminated clothing and wash it before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid
- Colour : yellow
- Odour : characteristic
- Odour Threshold : no data available
- pH : 9 - 10
Concentration: 50 %
- Solidification point : ca. -85 °F / -65 °C
- Boiling point : 509 °F / 265 °C
(1,013.25 hPa)
- Flash point : ca. 289 °F / 143 °C
> 199 °F / > 93 °C
- Evaporation rate : no data available
- Flammability (solid, gas) : Not applicable
- Self-ignition : no data available
- Upper explosion limit / upper flammability limit : Not relevant
- Lower explosion limit / Lower flammability limit : Not relevant
- Vapour pressure : < 1 hPa
- Relative vapour density : no data available

SAFETY DATA SHEET



Safebrake DOT 4

Page 7

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Relative density	:	no data available
Density	:	ca. 1.07 g/cm ³ (68 °F / 20 °C)
Solubility(ies) Water solubility	:	completely soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity Viscosity, dynamic	:	ca. 1,100 mPa.s (-40 °F / -40 °C) ca. 2.0 mPa.s (212 °F / 100 °C)
Viscosity, kinematic	:	no data available
Metal corrosion rate	:	Not corrosive to metals
Particle size	:	Does not apply to liquids.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong acids and oxidizing agents
Hazardous decomposition products	:	When handled and stored appropriately, no dangerous decomposition products are known

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Eye contact
Ingestion
Inhalation

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Acute toxicity

Not classified

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**Diethylene glycol:**

Acute oral toxicity : LD50 (Rat, male): 19,600 mg/kg
Method: Other
GLP: no
Assessment: The component/mixture is moderately toxic after single ingestion.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: Not relevant

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Acute oral toxicity : LD50: 5,170 mg/kg

Acute inhalation toxicity : Remarks: not required

Acute dermal toxicity : LD50 (Rabbit, male): 3,540 mg/kg
Method: Other
GLP: no
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: By analogy with a product of similar composition

Triethylene glycol:

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Other
Assessment: The substance or mixture has no acute inhalation toxicity

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

3,6,9,12-Tetraoxahexadecan-1-ol:

Acute oral toxicity : LD50 (Rat, male and female): 2,630 mg/kg
Method: Other
Assessment: The substance or mixture has no acute oral toxicity

1,1'-Iminodipropan-2-ol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC0 (Mouse, male): 2.07 mg/l
Exposure time: 3 h
Method: Other
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): 8,000 mg/kg
Method: Other
GLP: no

Skin corrosion/irritation

Not classified

Components:**Diethylene glycol:**

Species : Rabbit
Exposure time : 23 h
Method : Draize Test
Result : No skin irritation
GLP : no

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : By analogy with a product of similar composition

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Triethylene glycol:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

1,1'-Iminodipropan-2-ol:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : no

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Risk of serious damage to eyes.

Components:**Diethylene glycol:**

Species : Rabbit
Result : No eye irritation
Method : Other
GLP : no

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Species : rabbit eye
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
GLP : yes

Triethylene glycol:

Species : Rabbit
Result : No eye irritation
Method : Draize Test

3,6,9,12-Tetraoxahexadecan-1-ol:

Result : Irritating to eyes.

Safebrake DOT 4

Page 11

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

1,1'-Iminodipropan-2-ol:

Species : rabbit eye
Result : Irritating to eyes.
Exposure time : 72 h
Method : OECD Test Guideline 405
GLP : No information available.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified

Respiratory sensitisation

Not classified

Components:**Diethylene glycol:**

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Method : Directive 67/548/EEC, Annex V, B.6.
Result : Not a skin sensitizer.
GLP : yes

Assessment : Harmful if swallowed.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Test Type : Guinea pig maximization test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : No information available.
Remarks : By analogy with a product of similar composition

Triethylene glycol:

Test Type : Patch Test 24 Hrs.
Species : Humans
Method : Other
Result : Not a skin sensitizer.

1,1'-Iminodipropan-2-ol:

Test Type : Buehler Test

Safebrake DOT 4

Page 12

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Germ cell mutagenicity

Not classified

Components:**Diethylene glycol:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 33 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Concentration: 33 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Strain: NMRI
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Exposure time: once
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : In vivo tests did not show mutagenic effects, In vitro tests did not show mutagenic effects

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation

Safebrake DOT 4

Page 13

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Concentration: 20 - 50000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Concentration: 10 - 5000 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay

Test system: Chinese hamster ovary cells

Concentration: 1000 - 5000 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Triethylene glycol:

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: sister chromatid exchange assay

SAFETY DATA SHEET



Safebrake DOT 4

Page 14

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 479
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

1,1'-Iminodipropan-2-ol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Concentration: 78,1 - 5000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 100 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster ovary cells
Concentration: 313 - 5000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Carcinogenicity

Not classified

Components:

Diethylene glycol:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

SAFETY DATA SHEET



Safebrake DOT 4

Page 15

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Carcinogenicity - : No information available.
Assessment

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Carcinogenicity - : No information available.
Assessment

Triethylene glycol:

Species : Rat, male and female
Application Route : Oral
Exposure time : 108 w
NOAEL : 1,210 mg/kg body weight
Method : Other
Remarks : By analogy with a product of similar composition

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

1,1'-Iminodipropan-2-ol:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Diethylene glycol:

Effects on fertility : Test Type: Two-generation study
Species: Mouse, male and female
Strain: CD1
Application Route: Drinking water
Dose: 612 - 3063 - 6125 mg/kg
General Toxicity - Parent: NOAEL: 3,060 mg/kg body weight
Method: Other
GLP: No information available.

Effects on foetal development : Test Type: Pre-natal
Species: Rabbit, female
Application Route: oral (gavage)

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Dose: 100 - 400 - 1000 mg/kg
Duration of Single Treatment: 12 d
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Teratogenicity: NOAEL: > 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw/day
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
General Toxicity F1: NOAEL: 300 mg/kg body weight
General Toxicity F2: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 443
GLP: yes

Effects on foetal development : Test Type: Pre-natal
Species: Rabbit
Strain: New Zealand white
Application Route: oral (gavage)
Dose: 100, 250, 500 mg/kg bw/day
General Toxicity Maternal: NOAEL: 250 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Test Type: Pre-natal
Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 0, 30, 300, 1000 mg/kg bw/d
General Toxicity Maternal: NOAEL: <= 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Effects on fertility : Test Type: Two-generation study
Species: Mouse, male and female
Strain: CD1
Application Route: Drinking water

SAFETY DATA SHEET

CLARIANT 

Safebrake DOT 4

Page 17

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Dose: 720 - 1340 - 2050 mg/kg
General Toxicity - Parent: NOAEL: 720 mg/kg body weight
General Toxicity F1: NOAEL: 720 mg/kg body weight
General Toxicity F2: NOAEL: 720 mg/kg body weight
Method: Other
GLP: yes
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rat
Strain: Fischer F344
Application Route: oral (gavage)
Dose: 30 - 100 - 200 - 300 mg/kg
General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Teratogenicity: NOAEL: > 200 mg/kg body weight
Method: OECD Test Guideline 414
GLP: No information available.
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Triethylene glycol:

Effects on foetal development : Species: Rat
Strain: Sprague-Dawley
Application Route: Oral
Dose: 0.0, 1.0, 5.0, 10.0 ml/kg/day
General Toxicity Maternal: NOEL: 1
Developmental Toxicity: NOEL: 5
Method: Other
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

1,1'-Iminodipropyl-2-ol:

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (feed)
Dose: 500 - 2000 - 7500 ppm in diet
General Toxicity - Parent: NOAEL: 602 - 693 mg/kg body weight
General Toxicity F1: NOAEL: 609 - 700 mg/kg body weight
Method: Other
GLP: yes

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat, female
Application Route: Ingestion
Dose: 100 - 300 - 1000 mg/kg
Duration of Single Treatment: 15 d

Safebrake DOT 4

Page 18

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Did not show teratogenic effects in animal experiments.

STOT - single exposure

Corrosive to the respiratory tract.

Components:**Diethylene glycol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Triethylene glycol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

1,1'-Iminodipropan-2-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified

Components:**Diethylene glycol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Triethylene glycol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,1'-Iminodipropan-2-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Diethylene glycol:**

Species : Rat, male and female
NOAEL : 936 mg/kg bw/day
Application Route : oral (feed)
Exposure time : 4 w
Number of exposures : daily
Dose : 500-2500-10000-40000mg/kg diet
Control Group : yes
Method : OECD Test Guideline 407
GLP : yes

Species : Dog, male
NOAEL : 2200 mg/kg bw/day
Application Route : Skin contact
Exposure time : 4 w
Number of exposures : daily
Dose : 0,5 - 2 - 8 ml/kg
Control Group : yes
Method : OECD Test Guideline 410
GLP : yes
Remarks : By analogy with a product of similar composition

Repeated dose toxicity - Assessment : Harmful if swallowed.

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Species : Rat, male and female
NOAEL : 1000 mg/kg bw/day
Application Route : oral (gavage)
Number of exposures : daily
Dose : 10, 100, 1000 mg/kg bw/d
Method : OECD Test Guideline 408

SAFETY DATA SHEET



Safebrake DOT 4

Page 20

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Species : Rat, male and female
NOAEL : 400 mg/kg
LOAEL : 1,200 mg/kg
Application Route : Drinking water
Exposure time : 90 d
Number of exposures : daily
Dose : 400 - 1200 - 4000 mg/kg
Control Group : yes
Method : OECD Test Guideline 408
GLP : yes
Remarks : By analogy with a product of similar composition

Species : Rat, male and female
NOAEL : 4,000 mg/kg
Application Route : Skin contact
Exposure time : 13 w
Number of exposures : 6 hours/day, 5 days/week
Dose : 400 - 1200 - 4000 mg/kg
Control Group : yes
Method : Other
GLP : yes
Remarks : By analogy with a product of similar composition

Application Route : Inhalation
Remarks : The study is not necessary from a scientific perspective.

Triethylene glycol:

Species : Rat, male and female
NOAEL : 1522 - 1699 mg/kg bw/day
Application Route : Oral
Exposure time : 13 w
Method : OECD Test Guideline 408

1,1'-Iminodipropan-2-ol:

Species : Rat, male and female
NOAEL : 100 - 500 mg/kg
Application Route : Drinking water
Exposure time : 90 d
Number of exposures : daily
Dose : 100 - 500 - 1000 mg/kg
Control Group : yes
Method : OECD Test Guideline 408
GLP : yes
Application Route : Inhalation
Remarks : This information is not available.

Species : Rat, female
NOAEL : 100 mg/kg
Application Route : Skin contact

SAFETY DATA SHEET



Safebrake DOT 4

Page 21

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Exposure time : 28 d
Number of exposures : 5 days/week
Dose : 100 - 500 - 750 mg/kg
Control Group : yes
Method : OECD Test Guideline 410
GLP : yes

Aspiration toxicity

Not classified

Components:

Diethylene glycol:

No aspiration toxicity classification

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

no data available

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

No aspiration toxicity classification

Triethylene glycol:

no data available

1,1'-Iminodipropan-2-ol:

No aspiration toxicity classification

Further information

Product:

Remarks : The product has not been tested. The information is derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Diethylene glycol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 75,200 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: Other
GLP: no

SAFETY DATA SHEET



Safebrake DOT 4

Page 22

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: DIN 38412
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae/aquatic plants : EC50 (green algae): 9,362 mg/l
Exposure time: 96 h
Analytical monitoring: no
Method: estimated
GLP: no
- Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value (Fish): 7,694 mg/l
End point: Other
Exposure time: 30 d
Method: Other
GLP: no
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Chronic Toxicity Value (Daphnia sp. (water flea)): 1,891 mg/l
Exposure time: 16 d
Method: Other
GLP: no
- Toxicity to microorganisms : EC20 (activated sludge): > 1,995 mg/l
Exposure time: 0.5 h
Test Type: static test
Analytical monitoring: no
Method: ISO 8192
GLP: no
- Toxicity to soil dwelling organisms : LC50 (Eisenia andrei (red worm)): 10,974 mg/kg
Exposure time: 63 d
End point: mortality
Method: Other
GLP: No information available.
- LC50 (Folsomia candida): 15,689 mg/kg
Exposure time: 28 d
End point: mortality
Method: Other
GLP: No information available.
- Plant toxicity : EC50: 18,102 mg/kg
Exposure time: 14 d
End point: emergence
Species: Medicago sativa L.

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Method: Other

GLP: yes

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 222.2 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 211.2 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 224.4 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: no data available

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 30 min
Test Type: static test
Method: OECD Test Guideline 209

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Toxicity to fish : LC50 (Fish): > 1,800 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3,200 mg/l
Exposure time: 48 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

SAFETY DATA SHEET



Safebrake DOT 4

Page 24

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

- Toxicity to algae/aquatic plants : EC50 (*Scenedesmus capricornutum* (fresh water algae)): 2,490 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required
- Toxicity to microorganisms : IC50 (activated sludge): > 5,000 mg/l
End point: Growth rate
Exposure time: 16 h
Test Type: aquatic
Analytical monitoring: no
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Remarks: Not applicable
- Plant toxicity : Remarks: Not applicable
- Sediment toxicity : Remarks: not available
- Toxicity to terrestrial organisms : Remarks: Not applicable
- Triethylene glycol:**
- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 10,000 mg/l
End point: mortality
Test Type: static test
Method: Other
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test Type: static test
Method: DIN 38412
- Toxicity to algae/aquatic : NOEC (*Pseudokirchneriella subcapitata* (algae)): > 100 mg/l

SAFETY DATA SHEET



Safebrake DOT 4

Page 25

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

plants		End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: By analogy with a product of similar composition
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 15,380 mg/l Exposure time: 7 d Test Type: semi-static test Method: Other
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 15,000 mg/l Exposure time: 21 d Test Type: static test Method: Other
Toxicity to microorganisms	:	(activated sludge): > 1,995 mg/l Exposure time: 30 min Test Type: static test Method: Other

1,1'-Iminodipropan-2-ol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 1,466 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: no Remarks: The details of the toxic effect relate to the nominal concentration.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 277.7 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: Tested according to Directive 92/69/EEC. GLP: no Remarks: The details of the toxic effect relate to the nominal concentration.
Toxicity to fish (Chronic toxicity)	:	Remarks: not required
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: not required
Toxicity to microorganisms	:	(Pseudomonas putida): not toxic End point: Growth rate Exposure time: 17 h Test Type: aquatic Analytical monitoring: no

SAFETY DATA SHEET

CLARIANT 

Safebrake DOT 4

Page 26

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Method: Other
GLP: no

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : LOEC: 424 mg/kg
Exposure time: 50 d
End point: Growth
Species: Lactuca sativa (lettuce)
Method: Other
GLP: No information available.

Sediment toxicity : Remarks: no data available

Toxicity to terrestrial organisms : Remarks: Not applicable

Persistence and degradability

Product:

Biodegradability : Remarks: Not applicable

Components:

Diethylene glycol:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 44 mg/l
Carbon dioxide (CO₂)
Result: Readily biodegradable.
Biodegradation: 70 - 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: no

aerobic
Inoculum: activated sludge
Concentration: 45 mg/l
Dissolved organic carbon (DOC)
Result: Biodegradable
Biodegradation: 90 - 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301A
GLP: yes

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Biodegradability : Inoculum: activated sludge
Dissolved organic carbon (DOC)
Result: Readily biodegradable.
Biodegradation: > 70 %

SAFETY DATA SHEET

CLARIANT 

Safebrake DOT 4

Page 27

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Exposure time: 10 d
Method: OECD Test Guideline 301A

Stability in water : Degradation half life (DT50): < 10 min pH: 1.4 - 9
Method: OECD Test Guideline 111
Remarks: Hydrolyses readily.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Biodegradability : aerobic
Inoculum: activated sludge, domestic
Concentration: 2.5 mg/l
Chemical oxygen demand
Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Triethylene glycol:

Biodegradability : Inoculum: activated sludge
Dissolved organic carbon (DOC)
Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 10 d
Method: OECD Test Guideline 301A
Remarks: By analogy with a product of similar composition

1,1'-Iminodipropan-2-ol:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 52,6 mg ThOD NH₃/l
Biochemical Oxygen Demand (BOD)
Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Physico-chemical
removability : Remarks: Biodegradable

Photodegradation : Test Type: air
Sensitiser: OH
Concentration: 500,000 1/cm³
Rate constant: 0.000000000101686 cm³/molecule
Degradation (indirect photolysis): 50 % Degradation half life:
3.8 h
Method: other (calculated)
GLP: no

SAFETY DATA SHEET

Safebrake DOT 4

Page 28

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

Bioaccumulative potential

Components:

Diethylene glycol:

Bioaccumulation : Species: Leuciscus idus (Golden orfe)
Bioconcentration factor (BCF): 100
Exposure time: 3 d
Concentration: 0.05 mg/l
Method: Other
GLP: no

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

Triethylene glycol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

1,1'-Iminodipropan-2-ol:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Mobility in soil

Components:

Diethylene glycol:

Distribution among : Adsorption/Soil
environmental compartments Medium: water - soil
log Koc: 0
Method: other (calculated)

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate:

Distribution among : Koc: 0.008
environmental compartments Method: calculated

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Distribution among : Remarks: Not applicable
environmental compartments

Triethylene glycol:

Distribution among : Adsorption/Soil
environmental compartments log Koc: 1
Method: estimated

SAFETY DATA SHEET



Safebrake DOT 4

Page 29

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

1,1'-Iminodipropan-2-ol:

Distribution among
environmental compartments : Adsorption/Soil
Medium: water - soil
log Koc: ca. 1.67
Method: estimated

Other adverse effects

Product:

Additional ecological
information : There is no data available for this product.

Components:

Diethylene glycol:

Environmental fate and
pathways : not available

Additional ecological
information : Do not allow to enter ground water, waterways or waste water.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol:

Environmental fate and
pathways : not available

Additional ecological
information : Do not allow to enter ground water, waterways or waste water.

1,1'-Iminodipropan-2-ol:

Environmental fate and
pathways : no data available

Additional ecological
information : The product should not be allowed to enter drains, water
courses or the soil.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource
Conservation and Recovery
Authorization Act : This product, if discarded as sold, is not a Federal RCRA
hazardous waste.
Waste Code : NONE

Waste from residues : Product should be taken to a suitable and authorized waste
disposal site in accordance with relevant regulations and if
necessary after consultation with the waste disposal operator

SAFETY DATA SHEET



Safebrake DOT 4

Page 30

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

and/or the competent Authorities

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT	not restricted
IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Triethylene glycol methyl ether	112-35-6	>= 20 - < 30 %
---------------------------------	----------	----------------

2-(2-(2-Butoxyethoxy)ethoxy)ethanol	143-22-6	>= 1 - < 5 %
-------------------------------------	----------	--------------

2-(2-Butoxyethoxy)ethanol	112-34-5	>= 0.1 - < 1 %
---------------------------	----------	----------------

2-(2-Methoxyethoxy)ethanol	111-77-3	< 0.1 %
----------------------------	----------	---------

The following components are subject to reporting levels established by SARA Title III, Section 313:

Triethylene glycol methyl ether	112-35-6	>= 20 - < 30 %
---------------------------------	----------	----------------

SAFETY DATA SHEET



Safebrake DOT 4

Page 31

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

2-(2-(2-Butoxyethoxy)ethoxy)ethanol	143-22-6	$\geq 1 - < 5 \%$
2-(2-Butoxyethoxy)ethanol	112-34-5	$\geq 0.1 - < 1 \%$
2-(2-Methoxyethoxy)ethanol	111-77-3	$< 0.1 \%$

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Triethylene glycol methyl ether	112-35-6	$\geq 20 - < 30 \%$
2-(2-(2-Butoxyethoxy)ethoxy)ethanol	143-22-6	$\geq 1 - < 5 \%$

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Diethylene glycol	111-46-6	$\geq 5 - < 10 \%$
Triethylene glycol	112-27-6	$\geq 1 - < 5 \%$

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

Safebrake DOT 4

Page 32


Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation

SAFETY DATA SHEET



Safebrake DOT 4

Page 33

Substance key: 000000756497

Revision Date: 08/20/2025

Version : 3 - 0 / USA

Date of printing :03/14/2026

(EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Observe national and local legal requirements

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Revision Date : 08/20/2025

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN